Author Index

Akiniwa, Y., 105
Ardell, A. J., 149

Banerjee, D., 131
Banerjee, S., 181
Baumvol, I. J. R., 169
Birol, Y., 117
Biswas, S. K., L11
Brusso, J. A., 85
Burger, G., 163

Černý, R., 223
Chakraborty, D., 215
Chandrasekaran, N., 163
Chen, C.-W., 53

Dinsdale, K., 75
Dionisio, P. H., 169
Dirnfeld, S. F., 67
Dobiášová, L., 223
Donoso, E., 141

Embury, J. D., 163

Figueiredo, M. O., 249
Freire, Jr., F. L., 169

Gasko, K. L., 1
Golos, K., 61
Gregson, P. J., 75
Gryziecki, J., L15

Harris, S. J., 75
Huang, J. C., 149

Inal, O. T., 53

Janowski, G. M., 1

Kanniah, N., 245
Kim, D. K., 191
Koken, E., 163
Kokta, B. V., 235
Krell, A., L1
Krishnan, R., 181
Kurzydłowski, K. J., 157
Kužel, Jr., R., 223

Lai, J. K., L7
Lakshamanan, V., 95
Lardon, J. M., 21
Latkowski, A., L15
Li, J. C. M., 95

Magnin, T., 21
Maldas, D., 235
Margarido, F., 249
Matsui, E., 105
Meurer, H.-P., 37
Mikkola, D. E., 85
Mizera, J., 157
Morris, D. G., 201
Morris, M. A., 201
Mukhopadhyay, A. K., 215

Noble, B., 75
Nobrega, M. C. S., 169

Oikawa, H., 125
Okazaki, K., 53, 191
Oomori, T., 125

Pak, H.-R., 53, 191
Pletka, B. J., 1
Pramila Bai, B. N., L11

Raj, R. G., 235
Ramasamy, P., 245
Rao, K. B. S., 37

Sadouki, H., 9
Schreiner, W. H., 169
Schuster, H., 37
Sean, S. T., 235
Shamasunder, H. S., L11
Sharma, K. K., 131
Shibli, I. A., 29
Suzuki, T., 53

Tanaka, K., 105
Teixeira, S. R., 169
Tewari, S. N., 131

Valvoda, V., 223
Varschavsky, A., 141
Vasconcellos, M. A. Z., 169
Vengatesan, B., 245
Viswanathan, U. K., 181

Wittmann, F. H., 9
Wright, R. N., 85
Wyrzykowski, J. W., 157

Zuta, Y., 67

© Elsevier Sequoia/Printed in the Netherlands

Subject Index

Aging
  effect of reverse-aging treatment on the microstructure and mechanical properties of Nimonic alloys, 131
  effects of aging on the microstructure of 17-4 PH stainless steel, 181
Alloys
  creep–fatigue interaction of Inconel 617 at 950 °C in simulated nuclear reactor helium, 37
  debris analysis in dry sliding wear of aluminium–silicon alloys, L11
  development of mechanical properties in Al–Li–Zn–Mg–Cu alloys, 75
  effect of reverse-aging treatment on the microstructure and mechanical properties of Nimonic alloys, 131
  precipitation strengthening of binary Al–Li alloys by δ' precipitates, 149
  rapid solidification and mechanical alloying techniques applied to Cu–Cr alloys, 201
  statistical characteristics of propagation of small fatigue cracks in smooth specimens of aluminium alloy 2024-T3, 105
  the influence of γ–γ' eutectic on the mechanical properties of conventionally cast MAR-M247, 1
  the role of particle distribution in recrystallization in two-phase alloys, 163
  variation in steady state creep resistance in Ni–W composite eutectic alloy, 67
Alumina
  proof testing zirconia-toughened alumina, L1
Aluminium
  antiphase boundary energies of α-Cu–Al ordered domains, 141
  CAALSIFER: a quaternary Fe–Al–Si–Ca phase isotypic with α-leboite ($Fe_{1-x}Si_2$), 249
  debris analysis in dry sliding wear of aluminium–silicon alloys, L11
  development of mechanical properties in Al–Li–Zn–Mg–Cu alloys, 75
  high temperature fracture toughness and fractographic study of reaction-sintered Si–Al–O–N and liquid-phase-sintered Si–Al–O–N, 215
  interdiffusion and reaction in the FE–Al bilayer
    IV: phase characterization of ion-beam-mixed samples, 169
  microstructure and mechanical properties of polycrystalline B2 and $L2_1$ compounds in the Ni–Al–Ta system, 53
  precipitation strengthening of binary Al–Li alloys by δ' precipitates, 149
  statistical characteristics of propagation of small fatigue cracks in smooth specimens of aluminium alloy 2024-T3, 105
  steady state deformation characteristics of α-Ti–Al solid solutions, 125
Antimony
  microhardness studies of antimony trisulphide single crystals grown by the chemical vapour transport technique, 245
Antiphase boundary
  antiphase boundary energies of α-Cu–Al ordered domains, 141
Austenite
  description of the kinetics of normal and abnormal grain growth in austenitic stainless steel, 157

Calcium
  CAALSIFER: a quaternary Fe–Al–Si–Ca phase isotypic with α-leboite ($Fe_{1-x}Si_2$), 249
Carbon
  low temperature (360 °C) creep crack growth characteristics of a C–Mn steel, 29
Chemical vapour transport
  microhardness studies of antimony trisulphide single crystals grown by the chemical vapour transport technique, 245
Chromium
  rapid solidification and mechanical alloying techniques applied to Cu–Cr alloys, 201
Compaction
  electrodischarge compaction of nickel powders, 191
Composites
  on the analysis of the failure process in composite materials by numerical simulation, 9
  variation in steady state creep resistance in Ni–W composite eutectic alloy, 67
Copper
  antiphase boundary energies of α-Cu–Al ordered domains, 141
  development of mechanical properties in Al–Li–Zn–Mg–Cu alloys, 75
  rapid solidification and mechanical alloying techniques applied to Cu–Cr alloys, 201
Crack
  edge dislocations emitted along inclined planes from a mode I crack, 95
Crack growth
  low temperature (360 °C) creep crack growth characteristics of a C–Mn steel, 29
  statistical characteristics of propagation of small fatigue cracks in smooth specimens of aluminium alloy 2024-T3, 105
  what happens to the energy input during fatigue crack propagation?, 117
Creep
  creep ductility variations in AISI type 316 stainless steel, L7
  creep–fatigue interaction of Inconel 617 at 950 °C in simulated nuclear reactor helium, 37
  low temperature (360 °C) creep crack growth characteristics of a C–Mn steel, 29
  variation in steady state creep resistance in Ni–W composite eutectic alloy, 67
Cyclic deformation
  cyclic deformation mechanisms of a two-phase stainless steel in various environmental conditions, 21

© Elsevier Sequoia/Printed in The Netherlands

Debris analysis
debris analysis in dry sliding wear of aluminium–silicon alloys, L11
Deformation
steady state deformation characteristics of α-Ti–Al solid solutions, 125
inhomogeneous deformation and texture of rolled germanium α bronze, L15
Dislocation
edge dislocations emitted along inclined planes from a mode I crack, 95

Electrodischarges
electrodischarge compaction of nickel powders, 191

Failure
on the analysis of the failure process in composite materials by numerical simulation, 9
Fatigue
creep–fatigue interaction of Inconel 617 at 950 °C in simulated nuclear reactor helium, 37
cumulative fatigue damage, 61
statistical characteristics of propagation of small fatigue cracks in smooth specimens of aluminium alloy 2024-T3, 105
what happens to the energy input during fatigue crack propagation?, 117
Fractographic study
high temperature fracture toughness and fractographic study of reaction-sintered Si–Al–O–N and liquid-phase-sintered Si–Al–O–N, 215
Fracture toughness
high temperature fracture toughness and fractographic study of reaction-sintered Si–Al–O–N and liquid-phase-sintered Si–Al–O–N, 215

Germanium
inhomogeneous deformation and texture of rolled germanium α bronze, L15
Grain growth
description of the kinetics of normal and abnormal grain growth in austenitic stainless steel, 157

Helium
creep–fatigue interaction of Inconel 617 at 950 °C in simulated nuclear reactor helium, 37

Interdiffusion
interdiffusion and reaction in the Fe–Al bilayer
IV: phase characterization of ion-beam-mixed samples. 169
Iron
CAALSIFER: a quaternary Fe–Al–Si–Ca phase isotypic with α-leboite ($Fe_{1-x}Si_2$), 249
interdiffusion and reaction in the Fe–Al bilayer
IV: phase characterization of ion-beam-mixed samples, 169

Kinetics
description of the kinetics of normal and abnormal grain growth in austenitic stainless steel, 157

Leboite
CAALSIFER: a quaternary Fe–Al–Si–Ca phase isotypic with α-leboite ($Fe_{1-x}Si_2$), 249

Lithium
development of mechanical properties in Al–Li–Zn–Mg–Cu alloys, 75
precipitation strengthening of binary Al–Li alloys by δ' precipitates, 149

Magnesium
development of mechanical properties in Al–Li–Zn–Mg–Cu alloys, 75
Manganese
low temperature (360 °C) creep crack growth characteristics of a C–Mn steel, 29
Mechanical alloying
rapid solidification and mechanical alloying techniques applied to Cu–Cr alloys, 201
Mechanical properties
development of mechanical properties in Al–Li–Zn–Mg–Cu alloys, 75
effect of reverse-aging treatment on the microstructure and mechanical properties of Nimonic alloys, 131
microstructure and mechanical properties of polycrystalline B2 and $L2_1$ compounds in the Ni–Al–Ta system, 53
the influence of γ–γ' eutectic on the mechanical properties of conventionally cast MAR-M247, 1
Microhardness
microhardness studies of antimony trisulphide single crystals grown by the chemical vapour transport technique, 245
Microstructure
effect of reverse-aging treatment on the microstructure and mechanical properties of Nimonic alloys, 131
effects of aging on the microstructure of 17-4 PH stainless steel, 181
microstructure and mechanical properties of polycrystalline B2 and $L2_1$ compounds in the Ni–Al–Ta system, 53
Molybdenum
a study of the various contributions to strengthening in Mo–33Re rolled to large strains, 85

Nickel
electrodischarge compaction of nickel powders, 191
high temperature fracture toughness and fractographic study of reaction-sintered Si–Al–O–N and liquid-phase-sintered Si–Al–O–N, 215
microstructure and mechanical properties of polycrystalline B2 and $L2_1$ compounds in the Ni–Al–Ta system, 53
variation in steady state creep resistance in Ni–W composite eutectic alloy, 67
Nitrogen
detailed X-ray diffraction study of titanium nitrogen coatings: some interpretation problems, 223

Oxygen
high temperature fracture toughness and fractographic study of reaction-sintered Si–Al–O–N and liquid-phase-sintered Si–Al–O–N, 215

Particle distribution
the role of particle distribution in recrystallization in two-phase alloys, 163
Polystyrene
use of wood fibres as reinforcing fillers for polystyrene, 235

Precipitates
precipitation strengthening of binary Al–Li alloys by δ' precipitates, 149

Recrystallization
the role of particle distribution in recrystallization in two-phase alloys, 163
Rhenium
a study of the various contributions to strengthening in Mo–33Re rolled to large strains, 85

Silicon
CAALSIFER: a quaternary Fe–Al–Si–Ca phase isotypic with α-leboite ($Fe_{1-x}Si_2$), 249
debris analysis in dry sliding wear of aluminium–silicon alloys, L11
high temperature fracture toughness and fractographic study of reaction-sintered Si–Al–O–N and liquid-phase-sintered Si–Alo–O–N, 215
Single crystals
microhardness studies of antimony trisulphide single crystals grown by the chemical vapour transport technique, 245
Solidification
rapid solidification and mechanical alloying techniques applied to Cu–Cr alloys, 201
Stainless steel
creep ductility variations in AISI type 316 stainless steel, L7
cyclic deformation mechanisms of a two-phase stainless steel in various environmental conditions, 21
description of the kinetics of normal and abnormal grain growh in austenitic stainless steel, 157
effects of aging on the microstructure of 17-4 PH stainless steel, 181
Steel
low temperature (360° C) creep crack growth characteristics of a C–Mn steel, 29
Strain
a study of the various contributions to strengthening in Mo–33Re rolled to large strains, 85
Strengthening
a study of the various contributions to strengthening in Mo–33Re rolled to large strains, 85
precipitation strengthening of binary Al–Li alloys by δ' precipitates, 149
Sulphur
microhardness studies of antimony trisulphide single crystals grown by the chemical vapour transport technique, 245

Tantalum
microstructure and mechanical properties of polycrystalline B2 and $L2_1$ compounds in the Ni–Al–Ta system, 53
Titanium
detailed X-ray diffraction study of titanium nitrogen coatings: some interpretation problems, 223
steady state deformation characteristics of α-Ti–Al solid solutions, 125
Tungsten
variation in steady state creep resistance in Ni–W composite eutectic alloy, 67

Wear
debris analysis in dry sliding wear of aluminium–silicon alloys, L11
Wood fibres
use of wood fibres as reinforcing fillers for polystyrene, 235

X-ray diffraction
detailed X-ray diffraction study of titanium nitrogen coatings: some interpretation problems, 223

Zinc
development of mechanical properties in Al–Li–Zn–Mg–Cu alloys, 75
Zirconia
proof testing zirconia-toughened alumina, L1